


SECTION A-A



NOTES:


1. TOTAL APPROACH PAVEMENT WIDTH SHALL BE A MAXIMUM OF 25' OF STREET FRONTAGE (INCLUDING FLARE).
2. FINISH DRIVEWAY CENTERLINE ELEVATION AT PROPERTY LINE SHALL BE EQUAL WITH ELEVATION OF STREET EDGE ASPHALT FACING DRIVEWAY.
3. A MINIMUM 2% DOWN SLOPE IS REQUIRED TO MIDPOINT OF APPROACH FROM DRIVEWAY & TRAVELED WAY/ASPHALT EDGE OF STREET.
4. DEVIATION FROM PERMIT SPECIFICATIONS REQUIRES WRITTEN PERMISSION FROM THE CITY OF MANZANITA.
5. CALL FOR FIRST INSPECTION AFTER BASE HAS BEEN PREPPED AND BEFORE FINISH COURSE HAS BEEN APPLIED. 48 HOUR PHONE NOTICE IS REQUIRED FOR INSPECTION SERVICE.
6. CALL FOR FINAL INSPECTION AFTER FINISH SURFACE HAS BEEN APPLIED.

DRAWN	KKA	
ENGR.	OTAK	
REV.	DATE	APPR.


**CITY OF MANZANITA
STANDARD CONSTRUCTION DRAWINGS**

RESIDENTIAL DRIVEWAY

SCALE	N.T.S.
DATE	JULY 20□□
APPR.	D.WEITZEL - PWD
DWG.	RES.DRIVEWAY



SECTION A-A



NOTES:


1. TOTAL APPROACH PAVEMENT WIDTH SHALL BE A MAXIMUM OF 25' OF STREET FRONTAGE (INCLUDING FLARE).
2. FINISH DRIVEWAY CENTERLINE ELEVATION AT PROPERTY LINE SHALL BE EQUAL WITH ELEVATION OF STREET EDGE ASPHALT FACING DRIVEWAY.
3. DEVIATION FROM PERMIT SPECIFICATIONS REQUIRES WRITTEN PERMISSION FROM THE CITY OF MANZANITA.
4. CALL FOR FIRST INSPECTION AFTER BASE HAS BEEN PREPARED AND BEFORE FINISH COURSE HAS BEEN APPLIED. 48 HOUR PHONE NOTICE IS REQUIRED FOR INSPECTION SERVICE.
5. CALL FOR FINAL INSPECTION AFTER FINISH SURFACE HAS BEEN APPLIED.

DRAWN KKA		
ENGR. OTAK		
REV.	DATE	APPR.


CITY OF MANZANITA
STANDARD CONSTRUCTION DRAWINGS

RESIDENTIAL DRIVEWAY AT CONCRETE GUTTER

SCALE	N.T.S.
DATE	SEPT. 2020
APPR.	D.WEITZEL - PWD
DWG.	RES.DW.CONC.GUTTER.



SECTION A-A



NOTES:

1. FINISH DRIVEWAY CENTERLINE ELEVATION AT PROPERTY LINE SHALL BE EQUAL WITH OR LOWER THAN ELEVATION OF STREET EDGE ASPHALT.
2. A MINIMUM 2% DOWN SLOPE IS REQUIRED FROM TRAVELED WAY/ASPHALT EDGE OF STREET.
3. DEVIATION FROM PERMIT SPECIFICATIONS REQUIRES WRITTEN PERMISSION FROM THE CITY OF MANZANITA.
4. CALL FOR FIRST INSPECTION AFTER BASE HAS BEEN PREPPED AND BEFORE FINISH COURSE HAS BEEN APPLIED. 48 HOUR PHONE NOTICE IS REQUIRED FOR INSPECTION SERVICE.
5. CALL FOR FINAL INSPECTION AFTER FINISH SURFACE HAS BEEN APPLIED.

DRAWN	KKA	
ENGR.	OTAK	
REV.	DATE	APPR.

**CITY OF MANZANITA
STANDARD CONSTRUCTION DRAWINGS**

CRUSHED ROCK SHOULDER


SCALE	N.T.S.
DATE	DEC. 20□□
APPR.	D.WEITZEL - PWD
DWG.	RES.ROCK.SHOULDER

DRIVE WAY PERMIT DRAWING EXAMPLE

3rd St

Property
Pin

123 3rd ST




8'

NEW
ASPHALT

24'

Property
Pin



NOT TO SCALE

John Doe 503-555-5555