


## SECTION A-A



### NOTES:

1. FINISH DRIVEWAY CENTERLINE ELEVATION AT PROPERTY LINE SHALL BE EQUAL WITH OR LOWER THAN ELEVATION OF STREET EDGE ASPHALT.
2. A MINIMUM 2% DOWN SLOPE IS REQUIRED FROM TRAVELED WAY/ASPHALT EDGE OF STREET.
3. DEVIATION FROM PERMIT SPECIFICATIONS REQUIRES WRITTEN PERMISSION FROM THE CITY OF MANZANITA.
4. CALL FOR FIRST INSPECTION AFTER BASE HAS BEEN PREPPED AND BEFORE FINISH COURSE HAS BEEN APPLIED. 48 HOUR PHONE NOTICE IS REQUIRED FOR INSPECTION SERVICE.
5. CALL FOR FINAL INSPECTION AFTER FINISH SURFACE HAS BEEN APPLIED.



DRAWN	KKA	CITY OF MANZANITA STANDARD CONSTRUCTION DRAWINGS		SCALE	N.T.S.
ENGR.	NC CIVIL			DATE	AUGUST 2025
REV.	DATE	APPR.	CRUSHED ROCK SHOULDER		APPR. R.REMPFER - PWD
					DWG. RES.DRIVEWAY